

**Product no** **AS16 3350****Goat anti-Human IgG Fc, F(ab)'2 Fragment, min, cross-reactivity to Human IgA/IgM, Bovine, Horse, Mouse, Rabbit Serum****Product information**

<b>Immunogen</b>	Purified Human IgG, Fc
<b>Host</b>	Goat
<b>Clonality</b>	Polyclonal
<b>Purity</b>	Immunogen affinity purified goat IgG.
<b>Format</b>	Liquid
<b>Quantity</b>	0,5 mg
<b>Storage</b>	Store at 2-8 °C.

<b>Additional information</b>	<p>Antibody purity is &gt; 90% based on SDS-PAGE. Small amounts of intact IgG may be present. Affinity purified using solid phase Human IgG .</p> <p>Antibody is supplied in 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2. 0.05% (w/v) Sodium Azide is added as a preservative.</p> <p>Based on IEP, this antibody reacts with: • heavy ( ) chains on human IgG .</p> <p>Based on IEP, no reactivity is observed to: • non-immunoglobulin human serum immunoglobulins • light chains on all human immunoglobulins • human IgA or IgM • serum proteins from bovine, mouse, or rabbit .</p>
-------------------------------	---

**Application information**

<b>Recommended dilution</b>	The optimal working dilution should be determined by the investigator
<b>Confirmed reactivity</b>	Goat anti-Human IgG Fc, F(ab)'2 Fragment