

Product no **AS16 3527****Goat anti-Rabbit IgG (H&L), F(ab)'2 Fragment, DyLight® 488 conjugated****Product information****Immunogen** | Purified Rabbit IgG, whole molecule**Host** | Goat**Clonality** | Polyclonal**Purity** | Immunogen affinity purified goat IgG.**Format** | Lyophilized**Quantity** | 0,5 mg**Reconstitution** | For reconstitution add 0,55 ml of sterile water, Let it stand 30 minutes at room temperature to dissolve, Prepare fresh working dilutions daily**Storage** | Store freeze-dried powder at 2-8 °C.

**Additional information** | Antibody purity is > 90% based on SDS-PAGE Small amounts of intact IgG may be present.  
Affinity purified using solid phase Rabbit IgG .  
Antibody is supplied in 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free.  
0.05% (w/v) Sodium Azide is added as a preservative.

Based on IEP, this antibody reacts with: • heavy ( ) chains on rabbit IgG • light chains on all rabbit immunoglobulins .  
Based on IEP, no reactivity is observed to: • non-immunoglobulin rabbit serum proteins .

**Application information****Recommended dilution** | 1 : 20-1 : 2000 (Flow cyt), (IL)**Confirmed reactivity** | Rabbit IgG (H&L), F(ab)'2 Fragment